



Premium Liquid Fertilizer Solution

GUARANTEED ANALYSIS

Table with 2 columns: Element and Percentage. Includes Boron (B), Copper (Cu), Cobalt (Co), Iron (Fe), Manganese (Mn), Molybdenum (Mo), and Zinc (Zn) with their respective percentages and chelated forms.

Derived From Boric Acid, Cobalt Sulfate, Copper PASP, Iron EDTA, Iron PASP, Manganese EDTA, Manganese PASP, Zinc EDTA, Zinc PASP, and Molybdic Oxide

WARNING: The use of Boron on any crops other than those recommended may result in injury to the crop. Contact your county agent or field representative before making application.

WARNING: This product should only be used on soils that respond to molybdenum. Crops high in molybdenum are toxic to grazing animals.

CAUTION: KEEP OUT OF REACH OF CHILDREN



WARNING

Harmful if swallowed. Harmful in contact with skin. Causes skin irritation. Causes eye irritation. Harmful if inhaled. May cause respiratory irritation. May cause drowsiness or dizziness. Suspected of damaging fertility or the unborn child.

PRECAUTIONARY STATEMENTS:

Do not handle until all safety precautions have been read and understood. Avoid breathing fume/mist/vapours/spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye and face protection.

IF SWALLOWED: Call a poison control center or doctor/physician if you feel unwell. Rinse mouth.

IF ON SKIN: Wash with plenty of soap and water. Call a poison center or doctor/physician if you feel unwell. If skin irritation persists: Get medical advice/attention.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or doctor/physician if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container to an approved waste disposal plant in accordance with local/regional/national regulations.

Application Instructions

QLF PowerAid can be applied to all types of crops.

Maintenance Rate: Apply 1 to 2 quarts per acre.

Medium to Severe Deficiency Rate: Apply 3 to 4 quarts per acre.

Applications should be made at or prior to planting or at the start of the growing season. Applications should be made every 7 - 28 days as needed throughout the season.

Conditions of Sale

Seller warrants this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions and use. No one other than an officer of the seller is authorized to make any warranty, guarantee, or direction concerning this product.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.htm or by writing to QLF at the address on this label and referring to the lot/batch # on this container.

Weight per Gallon: 10.3 lbs (4.6 kg) @ 68° F